

Adverse Childhood Experiences (ACE)

Neurodevelopmental Screening Report

5

/ 10

Score

50%

Percentage

Result

Your Responses

Each answer contributed to your score.

#	Question	Your answer	Pts
1	Did a parent or adult often push, grab, slap, or throw something at you? Or ever hit you so hard that you had marks or were injured? abuse_physical	Yes	1
2	Did an adult or person at least 5 years older than you ever touch or fondle you in a sexual way, or attempt or actually have sexual intercourse with you? abuse_sexual	Yes	1
3	Did you often feel that no one in your family loved you, thought you were important or special, or that your family didn't look out for each other? neglect_emotional	Yes	1
4	Did you often feel that you didn't have enough to eat, had to wear dirty clothes, had no one to protect you, or that your parents were too drunk or high to care for you? neglect_physical	Yes	1
5	Was your mother or stepmother often pushed, grabbed, slapped, kicked, hit with a fist or hard object, or ever threatened or hurt with a gun or knife?	Yes	1

#	Question	Your answer	Pts
	<input type="text" value="household_violence"/>		
6	Did you live with anyone who was a problem drinker or alcoholic, or who used street drugs? <input type="text" value="household_substance"/>	Yes	1
7	Was a household member depressed or mentally ill, or did a household member attempt suicide? <input type="text" value="household_mentalhealth"/>	No	0
8	Did a household member go to prison or jail? <input type="text" value="household_incarceration"/>	Yes	1
9	Were your parents ever separated or divorced? <input type="text" value="household_separation"/>	Yes	1



AI Interpretation by Claude (Anthropic)

claude-sonnet-4-20250514

This is a sample preview of the AI-powered narrative report you receive after completing the ACE screening. The full report is generated by Claude AI based on your specific answer pattern across every item, producing a personalized interpretation that goes well beyond the raw score. Your example score sits in the middle of the distribution, which means roughly half of respondents score higher and half score lower. This is a useful baseline for interpreting clinical thresholds: a score in this range is neither minimal nor clinically elevated, and the meaning depends heavily on context — your age, life circumstances, recent stressors, and the specific questions you endorsed most strongly. In a real report, this section would highlight the two or three items you rated highest and explain why they matter clinically. It would point to the validated cut-off for this instrument, compare your pattern to the relevant peer group, and discuss the most common reasons people score at your level. When subscale scores are available (for example, attention versus impulsivity, or social versus sensory dimensions), the narrative breaks down each cluster and identifies which one is driving your overall score. Practical recommendations follow: lifestyle adjustments backed by recent research, when to consider a professional evaluation, and which specialist is best placed to follow up — primary care, psychologist, psychiatrist, occupational therapist, or sleep clinic depending on the test. The report also lists the published reference for the instrument so you or your clinician can verify the methodology. This screening is not a diagnosis. It is a structured starting point for a conversation with a qualified professional.

Important Notice

This report is a screening tool only and does not constitute a medical or psychological diagnosis.

This test does not replace a professional evaluation. For a reliable diagnosis, please consult a neuropsychologist, psychiatrist, or qualified healthcare professional.